



APT



Power Tools BROCHURE

The Name You Can Trust
www.apr-international.com

Drills

DW01315 450W Electrical Drill Driver



TECHNICAL DATA

Chuck Capacity (min/max):	1.0-10.0 mm
Weight	1.5 Kg

DW01315L 450W Electrical Drill Driver with Keyless Chuck

TECHNICAL DATA

Chuck Capacity (min/max):	1.0-10.0 mm
Weight	1.5 Kg



DW01520 500W Electrical Right Angle Drill Driver



TECHNICAL DATA

Chuck Capacity (min/max):	1.0-10.0 mm
Weight	2.0 Kg

DW02626 550W Electrical Impact Drill

TECHNICAL DATA

Chuck Capacity (min/max):	1.5 - 13 mm
Weight	1.6 Kg



DW02635-V4 650W Compact Electrical Impact Drill



TECHNICAL DATA

Chuck Capacity (min/max):	1.5-13 mm
Weight	2.2 Kg

DW02645-V4 750W Compact Electrical Impact Drill

TECHNICAL DATA

Chuck Capacity (min/max):	1.5 - 13 mm
Weight	2.5 Kg



DW02655-V4
850W Compact Electrical
Impact Drill

TECHNICAL DATA

Chuck Capacity (min/max):	1.5 - 13 mm
Weight	2.8 Kg



DW02795
1050W Electrical Impact Drill

TECHNICAL DATA

Chuck Capacity (min/max):	1.5 - 13 mm
Weight	3.0 Kg



DW02775
1050W Electrical Impact Drill

TECHNICAL DATA

Chuck Capacity (min/max):	1.5 - 13 mm
Weight	3.5 Kg



DW55205
Drill Holder

TECHNICAL DATA

Drilling Capacity	60mm
Maximum Clamping Diameter	43mm
Maximum Rotation Angle	180°

DW09430
380W Impact Wrench

TECHNICAL DATA

Max. Torque	320 Nm
Anvil size	1/2" square
Weight	2.9 Kg



Rotary Hammers

DW26QCC-V4 800W Rotary Hammer



TECHNICAL DATA

Impact energy	3.0 J
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	30 mm
Weight	3.0 kg

DW2601-V4 800W Rotary Hammer

TECHNICAL DATA

Impact energy	3.0 J
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	30 mm
Weight	2.7 Kg



DW26G-V4 850W Rotary Hammer

TECHNICAL DATA

Impact energy	4.0 J
Max.Drill Capacity [Concrete]	26 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	40 mm
Weight	4.0 Kg



DW32HT-V4 1250W Rotary Hammer

TECHNICAL DATA

Impact energy	5.0 J
Max.Drill Capacity [Concrete]	32 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	40 mm
Weight	4.0 Kg



DW36PT-V4 1500W Rotary Hammer

TECHNICAL DATA

Impact energy	5.0 J
Max.Drill Capacity [Concrete]	36 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Wood]	40 mm
Weight	5.0 Kg

DW40E-V4 1450W Rotary Hammer

TECHNICAL DATA

Impact energy	12.0 J
Max.Drill Capacity [Concrete]	10 mm
Max.Drill Capacity [Steel]	13 mm
Max.Drill Capacity [Core Bit]	80 mm
Weight	6.0 Kg




Demolition Breakers

Impact energy	27.0 J
Max.Drill Capacity [Concrete]	50 mm
Weight	10.3 Kg



Power Input	1350 W
Impact energy	12.0 J
Weight	10.3 Kg

Power Input	1300 W
Impact energy	15.0 J
Weight	6.0 Kg



Power Input	1300 W
Impact energy	15.0 J
Weight	6.0 Kg

Power Input	1300 W
Impact energy	20.0 J
Weight	7.0 Kg



Power Input	1300 W
Impact energy	20.0 J
Weight	7.0 Kg

Demolition Breakers

DW23 1700W Demolition Breaker



TECHNICAL DATA	
Power Input	1700 W
Impact energy	30.0 J
Weight	10.0 Kg

DW25B 1500W Demolition Breaker

TECHNICAL DATA	
Power Input	1500 W
Impact energy	25.0 J
Weight	11.0 Kg



DW45-V4 1700W Demolition Breaker



TECHNICAL DATA	
Power Input	1700 W
Impact energy	45.0 J
Weight	14.0 Kg

DW65 1500W Demolition Breaker

TECHNICAL DATA	
Power Input	1500 W
Impact energy	40.0 J
Weight	14.2 Kg



DW63 1700W Demolition Breaker



TECHNICAL DATA	
Power Input	1700 W
Impact energy	65.0 J
Weight	17.0 Kg

DW64 1600W Demolition Breaker

TECHNICAL DATA	
Power Input	1600 W
Impact energy	30.0 J
Weight	16.0 Kg



DW50C 2200W Demolition Breaker

TECHNICAL DATA

Power Input	2200 W
Impact energy	70.0 J
Weight	30.0 Kg



Grinders & Metal Working



DW05215-V4 750W Angle Grinder 4.5"

TECHNICAL DATA

Power Input	750 W
Hole Diameter of Disc	22mm 4.5"/115mm
Weight	2.2 Kg



DW05211 680W Angle Grinder 4.5"

TECHNICAL DATA

Power Input	680 W
Hole Diameter of Disc	22mm 4.5"/115mm
Weight	2.0 Kg



DW05240-V4 1010W Angle Grinder 5"

DW05240-V4 1010W Angle Grinder 5.0"

TECHNICAL DATA

Power Input	1010 W
Hole Diameter of Disc	125 mm
Weight	2.0 Kg



TECHNICAL DATA

Power Input	1010 W
Hole Diameter of Disc	125 mm
Weight	2.0 Kg



DW05340-V4 1010W Angle Grinder 5"

TECHNICAL DATA

Power Input	1010 W
Hole Diameter of Disc	125 mm
Weight	2.0 Kg



DW05369-V4 1150W Angle Grinder 5"

TECHNICAL DATA

Power Input	1150 W
Hole Diameter of Disc	125 mm
Weight	2.5 Kg



Grinders & Metal Working

DW05370-V4 1150W Angle Grinder 5"



TECHNICAL DATA

Power Input	1150 W
Hole Diameter of Disc	125 mm
Weight	2.5 Kg

DW05372 1150W Angle Grinder 5"

TECHNICAL DATA

Power Input	1150 W
Hole Diameter of Disc	125 mm
Weight	2.0 Kg



DW05555-V4 1500W Angle Grinder 7"

TECHNICAL DATA

Power Input	1500 W
Hole Diameter of Disc	180 mm
Weight	2.6 Kg



DW05621 2000W Angle Grinder 9"

TECHNICAL DATA

Power Input	2000 W
Hole Diameter of Disc	230 mm
Weight	4.3 Kg



DW05623 2100W Angle Grinder 9"

TECHNICAL DATA

Power Input	2100 W
Hole Diameter of Disc	230 mm
Weight	5.7 Kg



DW05625-V4 2200W Angle Grinder 9"

TECHNICAL DATA

Power Input	2200 W
Hole Diameter of Disc	230 mm
Weight	5.7 Kg



DW05665-V4 2600W Angle Grinder 9"

TECHNICAL DATA

Power Input	2600 W
Hole Diameter of Disc	230 mm
Weight	5.7 Kg



DW06252 710W Die Grinder



TECHNICAL DATA

Power Input	710 W
Wheel Diameter	32 mm
Weight	1.6 Kg

DW06512 300W Multi Function Tool

TECHNICAL DATA

Power Input	300 W
Oscillation Angle	3°
Weight	1.4 Kg



DW06200 600W Orbital Polisher

TECHNICAL DATA

Power Input	600 W
Pad size	1.2"/ 30 mm 2.0"/ 50 mm 3.0"/ 75 mm
Weight	1.5 Kg



DW06300 720W Orbital Polisher 6"

TECHNICAL DATA

Power Input	720 W
Pad size	150 mm
Weight	1.5 Kg



DW06302 1200W Dual Action Polisher 6"

TECHNICAL DATA

Power Input	1200 W
Pad size	150 mm
Weight	1.5 Kg



Grinders & Metal Working

DW06352 1300W Polisher 7"



TECHNICAL DATA

Power Input	1300 W
Pad size	180 mm
Weight	2.0 Kg

DW07350 2500W Cut Off Saw 14"

TECHNICAL DATA

Power Input	2500 W
Blade Diameter	14"/ 355mm
Weight	12.4 Kg



DW07355 3000W Cut Off Saw 14"

TECHNICAL DATA

Power Input	3000 W
Blade Diameter	14"/ 355mm
Weight	15.2 Kg



DW06412 135W Mini Craft

TECHNICAL DATA

Power Input	135 W
Chuck Capacity	Max 3.2mm
Weight	0.7 Kg



DW06416 170W Mini Craft

TECHNICAL DATA

Power Input	170 W
Chuck Capacity	Max 3.2mm
Weight	1.8 Kg



DW08202 220W Sheet Sander

TECHNICAL DATA

Power Input	220 W
Pad size	187 x 90 mm
Weight	1.8 Kg



Wood Working Tools

DW08203 240W Sheet Sander

TECHNICAL DATA

Power Input	240 W
Pad size	110 x 100 mm
Weight	1.8 Kg



Wood Working Tools



DW08204 300W Sheet Sander

TECHNICAL DATA

Power Input	300 W
Pad size	230 x 115 mm
Weight	2.6 Kg



DW08206 300W Orbital Sander

TECHNICAL DATA

Power Input	300 W
Pad size	125 mm
Weight	1.3 Kg



DW08212 450W Orbital Sander

TECHNICAL DATA

Power Input	450 W
Pad size	150 mm
Weight	0.9 Kg



DW07220-V2 1200W Circular Saw 7 1/4"

TECHNICAL DATA

Bevel Capacity	45°
Blade Size	185×20×24T
Weight	4.3 Kg



DW07230 1500W Circular Saw 7 1/4"

TECHNICAL DATA

Bevel Capacity	45°
Blade Size	185×20×24T
Weight	5.0 Kg



Wood Working Tools

DW07340 2000W Circular Saw 9"



TECHNICAL DATA	
Bevel Capacity	45°
Blade Size	235×25.4×24T
Weight	6.3 Kg

DW08300 560W Electric Planner

TECHNICAL DATA	
Planing width	82mm
Planing depth	Up to 1mm
Rabbing depth	Up to 10mm
Weight	3.6 Kg



DW07402 400W Jig Saw



TECHNICAL DATA	
Strok length	18 mm
Max.Depth of cut[Wood]	65 mm
Max.Depth of cut[Stell]	6 mm
Weight	1.5 Kg

DW07413 650W Jig Saw

TECHNICAL DATA	
Strok length	19 mm
Max.Depth of cut[Wood]	100 mm
Max.Depth of cut[Stell]	6 mm
Weight	2.4 Kg



DW07455 800W Jig Saw



TECHNICAL DATA	
Max.Depth of cut[Wood]	110 mm
Max.Depth of cut[Stell]	10 mm
Weight	2.5 Kg



DW08528 440W Electric Trimmer

TECHNICAL DATA	
Input Power	440 W
Max.Depth of cut[Wood]	6 mm
Weight	1.5 Kg



DW08539 550W Electric Trimmer

TECHNICAL DATA

Input Power	550 W
Max.Depth of cut[Wood]	8 mm
Weight	1.6 Kg



DW08490 2100W Electric Router

TECHNICAL DATA

Plunge Capacity	Up to 70 mm
Collet diameter	12 mm
Weight	6.0 Kg



DW07515 2200W Electric Chain Saw

TECHNICAL DATA

Bar Length	405 mm
Motor Material	Copper
Weight	5.4 Kg (with chain and bar)



DW07705 900W Miter 7.25"

TECHNICAL DATA


Blade Diameter	190 mm (7.25")
Blade Teeth	24 T
Blade Arbour	30 MM
Weight	5.4 Kg



DW07716 1200W Miter Saw 8"

TECHNICAL DATA


Input Power	1200W
Blade Diameter	210mm (8")
Weight	7.0 Kg



DW07743 2000W Miter Saw 10"

TECHNICAL DATA

Input Power	2000W
Blade Diameter	254mm (10")
Weight	12.7 Kg



Wood Working Tools

DW07740 2000W Sliding Mitre Saw 10"



TECHNICAL DATA

Input Power	2000W
Blade Diameter	254mm (10")
Weight	12.7 Kg

DW07755 2200W Belt Driven Miter Saw 12"

TECHNICAL DATA

Input Power	2200W
Blade Diameter	305mm (12")
Weight	23.0 Kg



DW07742 1800W Compound Mitre Saw 10"

TECHNICAL DATA

Input Power	1800W
Blade Diameter	254mm (10")
Weight	13.8 Kg



DW07745 1800W Induction Motor Sliding Mitre Saw 10"

TECHNICAL DATA

Input Power	1800W
Blade Diameter	254mm (10")
Weight	18.6 Kg



DW07760 1600W Induction Motor Sliding Mitre Saw 12"

TECHNICAL DATA

Input Power	1600W
Blade Diameter	305mm (12")
Weight	13.8 Kg



DW07762 1800W Compound Mitre Saw 12"

TECHNICAL DATA

Input Power	1800W
Blade Diameter	305mm (12")
Weight	16.3 Kg



DW07765
1800W Sliding Miter Saw
Belt 12"

Wood Working Tools

TECHNICAL DATA

Input Power	1800W
Blade Diameter	305mm (12")
Weight	21.5 Kg



Other Tools



DW09320A-V4
450W Electric Blower

TECHNICAL DATA

Input Power	450 W
Blowing Rate	2.3 m³/min
Weight	1.3 Kg



DW09325-V4
480W Electric Blower

TECHNICAL DATA

Input Power	480 W
Blowing Rate	2.3 m³/min
Weight	1.3 Kg



DW09370-V4
600W Electric Blower

TECHNICAL DATA

Input Power	600 W
Blowing Rate	2.8 m³/min
Weight	1.7 Kg



DW09800
650W Electric Blower

TECHNICAL DATA

Input Power	650 W
Blowing Rate	2.8 m³/min
Weight	2.1 Kg



DW09223-V4
1800W Heat Gun

TECHNICAL DATA

Input Power	1800 W
Temperature	350/550 °C
Airflow	300/ 500 L/min
Weight	0.8 Kg



Other Tools

DW09250 2000W Heat Gun



TECHNICAL DATA

Input Power	2000 W
Temperature	50/70-600 °C
Airflow	500 L/min
Weight	0.8 Kg

DW09253-V4 2100W Heat Gun

TECHNICAL DATA

Input Power	2100 W
Temperature	50/70-600 °C
Airflow	500 L/min
Weight	0.8 Kg



Also Available as



DW08252 820W Drywall and Ceiling Swivel Sander

TECHNICAL DATA

Input Power	820 W
Platen Diameter	254 mm
Weight	3.5 Kg

DW09530 1400W Electric Mixer

TECHNICAL DATA

Input Power	1400 W
Paddle connection thread	M14 x 2
Max. mixing paddle size	120mm
Weight	13.5 Kg



DW09535 1400W Electric Mixer

TECHNICAL DATA

Input Power	1400 W
Paddle connection thread	M14 x 2
Max. mixing paddle size	140mm
Weight	16.0 Kg

DW09540 1600W Electric Mixer

TECHNICAL DATA

Input Power	1600 W
Paddle connection thread	M14
Max. mixing paddle size	120mm
Weight	18.5 Kg



LHDL203R 200lm Rechargeable LED Headlamp

TECHNICAL DATA

Flood	20-200 lumen
Operating time	Flood 2.5-25h, Spot 3h
Charging time	3 h
Weight	95 g



LED Light



HDL121R 120lm Recharge & Detachable LED Headlamp



TECHNICAL DATA

Flood	60-120 lumen
Operating time	2.5-5 h
Charging time	2-3 h
Weight	95 g

SLM351R 350lm Rechargeable Led Mini Torch

TECHNICAL DATA

Flood	30-350 lumen
Operating time	Flood 2-20 h, Spot 3.5h
Charging time	2-3 h
Weight	120 g



DW3000052 5W Mini Cordless Standing Flash Light



TECHNICAL DATA

Battery capacity	2.0 Ah
Led power dissipation	5 W
Brightness (min/max)	150/300 Lm
Bare Weight	0.2 Kg

DW3000102 10W Cordless Standing Flash Light

TECHNICAL DATA

Battery capacity	2.0 Ah
Led power dissipation	10 W
Brightness (min/max)	500/1000 Lm
Bare Weight	0.4 Kg



DW3000202 20W Cordless Standing Flash Light



TECHNICAL DATA

Battery capacity	2.0 Ah
Led power dissipation	20 W
Brightness (min/max)	900/2000 Lm
Bare Weight	0.7 Kg

Laser Level

AIM-G2 Laser Leveler Green Beam 2 Lines



TECHNICAL DATA

Laser Wavelength	515 nm
Accuracy (horizontal, vertical)	± 1.5 mm/5 m
Zenith accuracy	± 1.5 mm/3 m
Horizontal Emission Angle	≥ 120°

AIM-G3 Laser Leveler Green Beam 3 Lines

TECHNICAL DATA

Laser Wavelength	515/650 nm
Accuracy (horizontal, vertical)	± 1.5 mm/5 m
Zenith accuracy	± 1.5 mm/3 m
Horizontal Emission Angle	≥ 120°



AIM-G5 Laser Leveler Green Beam 5 Lines

TECHNICAL DATA

Laser Wavelength	515/650 nm
Accuracy (horizontal, vertical)	± 1.5 mm/5 m
Zenith accuracy	± 1.5 mm/3 m
Horizontal Emission Angle	≥ 120°



BEAM-G2 Laser Leveler Professional Green Beam 2 Lines

TECHNICAL DATA

Laser Wavelength	515 nm
Accuracy (horizontal, vertical)	± 1 mm/5 m
Zenith accuracy	± 1 mm/3 m
Horizontal Emission Angle	≥ 120°



BEAM-G3 Laser Leveler Professional Green Beam 3 Lines

TECHNICAL DATA

Laser Wavelength	515/650 nm
Accuracy (horizontal, vertical)	± 1 mm/5 m
Zenith accuracy	± 1 mm/3 m
Horizontal Emission Angle	≥ 120°



BEAM-G5 Laser Leveler Professional Green Beam 5 Lines

TECHNICAL DATA

Laser Wavelength	515/650 nm
Accuracy (horizontal, vertical)	± 1 mm/5 m
Zenith accuracy	± 1 mm/3 m
Horizontal Emission Angle	≥ 120°



Copter-G12 Laser Leveler Green Beam 12 lines

TECHNICAL DATA

Laser Wavelength	515 nm
Laser Grade	Class II
Accuracy (horizontal, vertical)	± 3 mm/10 m
Working Temperature	-10°C~+40°C



Copter-G16 Laser Leveler Green Beam 16 lines

TECHNICAL DATA

Laser Wavelength	515 nm
Laser Grade	Class II
Accuracy (horizontal, vertical)	± 3 mm/10 m
Working Temperature	-10°C~+40°C



TRI-1.5 Tripod 1.5

TECHNICAL DATA

Hight	1.5 m
Tripod Material	Aluminum profile
Material Profile Thickness	0,5 mm



TRI/S-1.8 Tripod 1.8

TECHNICAL DATA

Hight	1.8 m
Tripod Material	Aluminum profile
Material Profile Thickness	0,5 mm





AFT

