

# APT



2026

## HYDRAULIC EQUIPMENT CATALOGUE

The Name You Can Trust



The Name You Can Trust

# APT International

## About:

With Decades of experience, APT International is a global emerging brand that is determined to lead, with solid experience in Product development, manufacturing, distributing, selling, and servicing world class products. We aspire to become a global brand that is trusted by our customers for our tools, accessories, and equipment.

Believing that to build a great tool you need great materials is the driver of our manufacturing process, and for that we source the absolute best raw materials and components to build the most powerful and efficient tool for our customers to rely on.

We put our customers at the heart of everything we do, and we make sure that our wide range of products is available for them in every market we enter through a strong network of central distribution centers, local distributors, and retailers. Complemented with a vast network of service centers equipped with highly qualified technicians delivering a world class customer service quality to ensure our customers complete satisfaction.

## Our Values:

**Reliability:** Our tools are built to last, for our customers to trust that they will consistently deliver the same quality every time.

**Quality:** We have a passionate commitment to providing high quality tools that exceed our customers' expectations.

**Value for Money:** Our advanced production capabilities enable us to offer our customers an unmatched combination of reliability, quality & price.

**Innovation:** We continuously strive to bring innovative solutions, for our customers to have the tools they need to get the job done.

**Customer Focus:** Our customers are at the heart of everything we do, we listen to their needs and work to deliver what they desire.

# Contents

## Hydraulic Equipment

### Hydraulic Bottle Jacks 1

Hydraulic Bottle Jacks 2-4

### Hydraulic Trolley Jacks 5

Hydraulic Trolley Jacks 6

### Hydraulic Garage Jacks 7

HYDRAULIC GARAGE JACKS 8-10

JACK STANDS 11

### Hydraulic Shop Press 12

Hydraulic Shop Press 13-14

### Transmission and Lifting 15

Transmission and Lifting 16-23





# Hydraulic Bottle Jacks




The Name  
You Can Trust

# Hydraulic Bottle Jacks

## Low Profile Bottle Jack

Environmentally friendly steel plate  
Oil leakage preventive system  
Prolonged oil lifetime



T90204D



T90304D



T90504D



T91004D



T91504D



T92004D


### Technical Data

| Model   | Capacity | Min.Height | Lift.Height | Adjustable Height | Pcs/Ctn | A   | B   | C  | D   | E×F     |
|---------|----------|------------|-------------|-------------------|---------|-----|-----|----|-----|---------|
|         | Ton      | MM         | MM          | MM                |         | MM  |     |    |     |         |
| T90204D | 2        | 148        | 80          | 48                | 6       | 140 | 72  | 48 | 260 | 88×92   |
| T90304D | 3        | 180        | 110         | 60                | 6       | 168 | 98  | 60 | 326 | 92×100  |
| T90504D | 5        | 185        | 110         | 60                | 4       | 185 | 110 | 60 | 355 | 96×112  |
| T91004D | 10       | 195        | 120         | 60                | 4       | 195 | 120 | 60 | 375 | 110×123 |
| T91504D | 15       | 205        | 125         | 60                | 2       | 205 | 125 | 60 | 390 | 133×136 |
| T92004D | 20       | 217        | 130         | 60                | 2       | 217 | 130 | 60 | 407 | 144×152 |



## Heavy Duty Bottle Jack

Environmentally friendly steel plate  
Oil leakage preventive system  
Prolonged oil lifetime




### Technical Data

| Model  | Capacity | Min.Height | Lift.Height | Adjustable Height | Pcs/Ctn | A   | B   | C  | D   | E×F     |
|--------|----------|------------|-------------|-------------------|---------|-----|-----|----|-----|---------|
|        | Ton      | MM         | MM          | MM                |         | MM  |     |    |     |         |
| T90204 | 2        | 181        | 116         | 48                | 6       | 140 | 72  | 48 | 260 | 88×92   |
| T90304 | 3        | 194        | 118         | 60                | 6       | 168 | 98  | 60 | 326 | 92×100  |
| T90504 | 5        | 216        | 127         | 70                | 4       | 185 | 110 | 60 | 355 | 96×112  |
| T90804 | 8        | 230        | 147         | 80                | 4       | 190 | 115 | 60 | 365 | 103×118 |
| T91004 | 10       | 230        | 150         | 80                | 2       | 195 | 120 | 60 | 375 | 110×123 |
| T91504 | 15       | 230        | 150         | 80                | 2       | 205 | 125 | 60 | 390 | 133×136 |
| T92004 | 20       | 242        | 150         | 60                | 2       | 217 | 130 | 60 | 407 | 144×152 |
| T93204 | 32       | 285        | 180         | /                 | 1       | 230 | 130 | /  | 360 | 130×170 |
| T95004 | 50       | 300        | 180         | /                 | 1       | 217 | 130 | /  | 370 | 168×210 |

# Hydraulic Bottle Jacks

## Heavy Duty Welded Bottle Jack

Environmentally friendly steel plate  
Oil leakage preventive system  
Prolonged oil lifetime



TH93204



TH95004

### Technical Data

| Model   | Capacity | Min.Height | Lift.Height | Adjustable Height | Pcs/Ctn | A   | B   | C | D   | E×F     |
|---------|----------|------------|-------------|-------------------|---------|-----|-----|---|-----|---------|
|         | Ton      | MM         | MM          | MM                |         | MM  |     |   |     |         |
| TH93204 | 32       | 260        | 160         | /                 | 1       | 260 | 160 | / | 420 | 185×165 |
| TH95004 | 50       | 280        | 170         | /                 | 1       | 280 | 170 | / | 450 | 207×185 |





# Hydraulic Trolley Jacks



The Name  
You Can Trust

# Hydraulic Trolley Jacks


## Trolley Jacks

### Special Quality Design

Polished and treated cylinder rams use high performance seals.




Polished inner cylinder walls extending the seals' life minimizing abrasion and wear.



Hydraulic trolley jack is constructed with heavy duty steel, providing long term durability with an industrial luster.

Equipped with two large steel casters and two 360-degree swivel casters for smooth maneuverability.



TA82008



TA82007S



TA820050FS



T825010S



TA82001S

### Technical Data

| Model      | Capacity | Min.Height | Max.Height | Product Weight | Pcs/Ctn |
|------------|----------|------------|------------|----------------|---------|
|            | Ton      | MM         | MM         | KG             |         |
| TA82008    | 1.5      | 128        | 300        | 6.8            | 1       |
| TA82007S   | 2        | 125        | 300        | 6.2            | 1       |
| TA820050FS | 2        | 135        | 340        | 8.5            | 1       |
| T825010S   | 2.5      | 89         | 359        | 15.78          | 1       |
| TA82001S   | 2        | 85         | 330        | 11.5           | 1       |





# Hydraulic Garage Jacks




The Name  
You Can Trust

# Hydraulic Garage Jacks

## Garage Jacks

Constructed of durable, portable heavy duty steel.  
Dual piston quick lift pump allows you to easily raise the jack to the desired height.  
Equipped with two large steel casters and two 360-degree swivel casters for smooth maneuverability.



### Special Quality Design

Polished and treated cylinder rams use high performance seals.



Polished inner cylinder walls extending the seals' life minimizing abrasion and wear.



T830022



T830025



T830023



T83502



T830026

### Technical Data

| Model    | Capacity | Min.Height | Max.Height | Product Weight | Pcs/Ctn |
|----------|----------|------------|------------|----------------|---------|
|          | Ton      | MM         | MM         | KG             |         |
| TZ830022 | 3        | 140        | 500        | 34.5           | 1       |
| T830025  | 3        | 130        | 465        | 29.7           | 1       |
| T830023  | 3        | 130        | 465        | 31             | 1       |
| T83502   | 3.5      | 145        | 500        | 39             | 1       |
| T830026  | 2.5      | 75         | 508        | 36             | 1       |





# APT

## Hydraulic Garage Jacks

### Low Profile Garage Jack

Constructed using heavy duty steel

Compact

Protector, top saddle protection for safer lifting.




Slow lowering while loaded



Foot pedal for quick lifting saddle to load



PU Material Front Wheel



Magnetic tools tray for carrying objects



Nylon rear wheel with ball bearing



T820031



T820028



T830028



T830031BS

Polished and treated cylinder rams use high performance seals.



Polished inner cylinder walls extending the seals' life minimizing abrasion and wear.



Polished and treated pump cylinder pistons use high performance seals.



Special Quality Design

#### Technical Data

| Model     | Capacity | Min.Height | Max.Height | Product Size | Pcs/Ctn |
|-----------|----------|------------|------------|--------------|---------|
|           | Ton      | MM         | MM         | MM           |         |
| T820031   | 2        | 70         | 500        | 785x350x212  | 1       |
| T820028   | 2        | 76         | 510        | 1065x450x215 | 1       |
| T830028   | 3        | 140        | 525        | 1150x350x180 | 1       |
| T830031BS | 3        | 80         | 500        | 822x420x232  | 1       |



# Hydraulic Garage Jacks

## Long Floor Jacks

Ideal for lifting heavy trucks, buses, agriculture and constructions equipment Heavy duty steel frame for maximum durability.

Long frame for easy access to lift point.

Safety-overload system.

Additional foot pedal control provides quick set-up and rise.

Oversized swivel casters for easy mobility.



TR20003



TR30002



TR50001



TR100001



TRA200001

### Technical Data

| Model     | Capacity | Min.Height | Max.Height | Product Size | Pcs/Ctn |
|-----------|----------|------------|------------|--------------|---------|
|           | Ton      | MM         | MM         | MM           |         |
| TR20003   | 2        | 140        | 800        | 1184x435x188 | 1       |
| TR30002   | 3        | 140        | 665        | 1100x436x186 | 1       |
| TR50001   | 5        | 160        | 560        | 1412x418x186 | 1       |
| TR100001  | 10       | 160        | 560        | 1540x486x255 | 1       |
| TRA200001 | 20       | 220        | 680        | 1550x560x305 | 1       |



## Jack Stand

Ratchet style allows for fine adjustment and fast removal  
 Solid steel handle  
 Self-Locking ratchet  
 Large saddle  
 unitized frame construction  
 Ductile iron rack.



**T43002**



**T46002**

### Technical Data

| Model  | Capacity | Min.Height | Max.Height | N.W./G.W. | Package Size | Pcs/Ctn |
|--------|----------|------------|------------|-----------|--------------|---------|
|        | Ton      | MM         | MM         | KG        | MM           | PAIRS   |
| T43002 | 3        | 285        | 425        | 6.3/6.78  | 216x190x355  | 1       |
| T46002 | 6        | 393        | 593        | 13/13.8   | 305x255x460  | 1       |




# Hydraulic Shop Press



The Name  
You Can Trust

## Electrically Powered Shop Press

Heavy-duty H-frames are made of high-grade steel designed for quality and durability.  
Painted to resist oil, grease and stains for easy cleanup.



### Technical Data

| Model   | Capacity | Work Range | N.W. | G.W. | Package Size  | Pcs/Ctn |
|---------|----------|------------|------|------|---------------|---------|
|         | Ton      | MM         | MM   | MM   | MM            |         |
| T100001 | 100      | 0-950      | 740  | 790  | 1140x620x2100 | 1       |
| T150001 | 150      | 0-950      | 1300 | 1350 | 1470x2270x650 | 1       |

# Hydraulic Shop Press


## Hydraulic Shop Press

Heavy-duty H-frames are made of high-grade steel designed for quality and durability.

Painted to resist oil, grease and stains for easy cleanup.

High-quality, large-diameter hydraulic steel cylinder units result in lower oil pressure


Required to increase loads, helping to minimize wear and prolong service life.




TY10003




TY12002




TY20001



TY30001



TY50001



### Technical Data

| Model   | Capacity | Work Range | N.W. | G.W. | Package Size | Pcs/Ctn |
|---------|----------|------------|------|------|--------------|---------|
|         | Ton      | MM         | KGS  | KGS  | MM           |         |
| TY10003 | 10       | 0-340      | 46.5 | 48   | 775x550x180  | 1       |
| TY12002 | 12       | 0-920      | 14   | 15   | 675x230x170  | 2       |
| TY20001 | 20       | 0-910      | 36   | 37   | 640x320x130  | 2       |
| TY30001 | 30       | 0-970      | 150  | 163  | 1620x380x310 | 1       |
| TY50001 | 50       | 0-890      | 256  | 286  | 930x390x1860 | 1       |





# Transmission and Lifting



The Name  
You Can Trust

## Portable Body Repair Kits

### Applications:

- Automotive
- Trucks
- Farm Equipment
- Heavy Equipment

### Instructions of use:

- The load can not exceed half of the capacity when all tubes are used
- Piston extension can not exceed the stroke



T70401S



T71002L

### Technical Data

| Model   | Capacity | Min.Ram Height | Ram Lifting Height | Package Size | Pcs/Ctn |
|---------|----------|----------------|--------------------|--------------|---------|
|         | Ton      | MM             | MM                 | MM           |         |
| T70401S | 4        | 270            | 120                | 585x355x175  | 1       |
| T71002L | 10       | 380            | 150                | 990x440x220  | 1       |

## Heavy Duty Vehicle Support Stand

The base is a heavy, durable, flat support platform with increased width for direct load support.

The best choice for heavy vehicles and loads, ensuring load stability and safe handling.



**TZ200012**



**TZ250002**

### Technical Data

| Model    | Capacity | Min.Height | Max.Height | N.W./G.W. | Product Size | Pcs/Ctn |
|----------|----------|------------|------------|-----------|--------------|---------|
|          | Ton      | MM         | MM         | KG        | MM           |         |
| TZ200012 | 20       | 665        | 1090       | 39/41.5   | 460x460x683  | 1       |
| TZ250002 | 25       | 680        | 968        | 38.5/41   | 460x460x698  | 1       |

# Transmission and Lifting

## Engine Crane

Equipped with a precise drain valve to facilitate the positioning of the suspended element.

Compact, fully folds for easy storage

Equipped with 6 metal wheels – and a special handle for easy maneuvering.



T31002CX



T32002X



T32002CX



Foldable

### Technical Data

| Model    | Capacity | Lenght | Width | Height | Lifting Range | Pcs/Ctn |
|----------|----------|--------|-------|--------|---------------|---------|
|          | Ton      | MM     | MM    | MM     | MM            |         |
| T31002CX | 1        | 1515   | 1015  | 1445   | 75-1950       | 1       |
| T32002X  | 2        | 1710   | 1000  | 1490   | 25-2140       | 2       |
| T32002CX | 2        | 1710   | 1000  | 1490   | 25-2240       | 2       |

## Piston for Engine Crane

High quality large diameter hydraulic steel cylinder unit results in lower oil pressure needed to raise the load, helping to reduce wear and extend service life.

Constructed of high-grade steel and built for quality and durability.

Hydraulics are powered with a high quality oil, which offers better corrosion resistance and high/low temperature flexibility.



**WELDED**



**T30506**

### Technical Data

| Model  | Capacity | N.W./K.W | Pcs/Ctn |
|--------|----------|----------|---------|
|        | Ton      | Kg       |         |
| T30506 | 2        | 15       | 2       |
| T30806 | 2        | 16       | 2       |

## Transmission Jack

The Low Profile Transmission jack is designed for transmission installation and removal. It features a 360° handle that offers rotational mobility for hard-to-reach lifting points. Universal mounting head provides a wide fore and aft tilt range. Manual operated hydraulic system, bypass system prevents over-extension and accidental overloading. Low profile design is enhanced by four heavy duty swivel casters for easy maneuvering throughout the shop. Fits most transmissions.



TE10001



Safety Valve



TEL05004



Stronger Steel Base

TEL15011

### Technical Data

| Model    | Capacity | Min.Height | Max.Height | Product Size | Pcs/Ctn |
|----------|----------|------------|------------|--------------|---------|
|          | Ton      | MM         | MM         | MM           |         |
| TEL05004 | 0.5      | 1140       | 1945       | 1080x280x145 | 1       |
| TE10001  | 1        | 210        | 780        | 965x530x240  | 1       |
| TEL15011 | 1.5      | 1130       | 1915       | 1175x320x260 | 1       |

## Engine Stand

Rotating engine stand is constructed with heavy-duty steel, providing long term durability with an industrial luster.  
An extra-wide base provides maximum stability



Foldable



T26801

### Specifications

| Model  | Capacity | N.W. | G.W. | Product Size | Pcs/Ctn |
|--------|----------|------|------|--------------|---------|
|        | LBS      | KGS  | KGS  | MM           |         |
| T26801 | 1500     | 33.5 | 35.3 | 870x820x860  | 1       |



## Hydraulic Pipe Bender

Can bend pipes up to 90 using precision cast dies  
6 cast dies included  
Suitable for bending gas, water sprinkler and exhaust pipes  
Cast dies sizes: 1/2" , 3/4" , 1 , 1 1/4" , 1 1/2" , 2"



TRM03003-3

### Technical Data

| Model      | Capacity | N.W. | G.W. | Product Size | Pcs/Ctn |
|------------|----------|------|------|--------------|---------|
|            | ton      | KGS  | KGS  | MM           |         |
| TRM03003-3 | 16       | 67   | 72   | 770x360x235  | 1       |



## Lifting Table Cart

Lift and lower heavy cargo for smooth,easy loading and unloading.

Ideal for transporting machinery and big tool chests,unloading trucks and more.

Foot-pedal operates the hydraulic tabletop.

Handle-mounted pressure release.



TP05001

### Technical Data

| Model   | Capacity | Lifting Range | Platform Size | Package Size | Pcs/Ctn |
|---------|----------|---------------|---------------|--------------|---------|
|         | ton      | MM            | MM            | MM           |         |
| TP05001 | 0.5      | 280-860       | 815x500       | 950x555x285  | 1       |



## Engine Leveler

Made of high quality steel, the balancer ensures excellent durability and a long service life.

A crank handle on the end of the leveller makes adjustment easier.



TR2750

### Technical Data

| Model  | Capacity | N.W./G.W. | Package Size | Pcs/Ctn |
|--------|----------|-----------|--------------|---------|
|        | KGS      | KGS/KGS   | MM           |         |
| TR2750 | 680      | 5.2/5.5   | 480x280x220  | 4       |



## Plastic Car Creeper

Features a powder-coated finish for added durability.

Comfortable seat has thick foam padding and oil-resistant vinyl covering with built-in padded headrest for cushioned support and lasting comfort.

Swivel casters provide superior mobility.



**TRH6802**


### Technical Data

| Model   | Capacity | N.W. | G.W. | Overall Size | Pcs/Ctn |
|---------|----------|------|------|--------------|---------|
|         | LBS      | KGS  | KGS  | MM           |         |
| TRH6802 | 250      | 5    | 6    | 1010x475x130 | 1       |



## The Air Jack

The Air jack is the easiest and fastest way to lift the car. It inflates with compressed air. Sturdy Construction The pneumatic jack is made of high strength steel which makes the whole body sturdy and durable. The solid construction also provides lateral and vertical stability.





**TRA1812**

### Technical Data

| Model   | Capacity | Min.Height | Max.Height | Lifting Time | Pcs/Ctn |
|---------|----------|------------|------------|--------------|---------|
|         | Ton      | MM         | MM         | SEC          |         |
| TRA1812 | 2        | 115        | 430        | 3            | 1       |



# Check Our Range




# APT

The Name You Can Trust



# APT



## Contact Us



[Info@apt-international.com](mailto:Info@apt-international.com)

