

APT



2026

TILING CATALOGUE

The Name You Can Trust



The Name You Can Trust

APT International

About:

With Decades of experience, APT International is a global emerging brand that is determined to lead, with solid experience in Product development, manufacturing, distributing, selling, and servicing world class products. We aspire to become a global brand that is trusted by our customers for our tools, accessories, and equipment.

Believing that to build a great tool you need great materials is the driver of our manufacturing process, and for that we source the absolute best raw materials and components to build the most powerful and efficient tool for our customers to rely on.

We put our customers at the heart of everything we do, and we make sure that our wide range of products is available for them in every market we enter through a strong network of central distribution centers, local distributors, and retailers. Complemented with a vast network of service centers equipped with highly qualified technicians delivering a world class customer service quality to ensure our customers complete satisfaction.

Our Values:

Reliability: Our tools are built to last, for our customers to trust that they will consistently deliver the same quality every time.

Quality: We have a passionate commitment to providing high quality tools that exceed our customers' expectations.

Value for Money: Our advanced production capabilities enable us to offer our customers an unmatched combination of reliability, quality & price.

Innovation: We continuously strive to bring innovative solutions, for our customers to have the tools they need to get the job done.

Customer Focus: Our customers are at the heart of everything we do, we listen to their needs and work to deliver what they desire.

Contents

Tiling	1
Tile Cutters	2
Tile Handling	3-5
Tiling Accessories	6-8
Tiling Power tools	9-10
Tiling Power tools Accessories	11-17
Tiling Hand tools	18-19

**The Name
You Can Trust**



APT Tiling



Acquire consumers with quality, integrity and persistence


ZX-1200

Tile Cutter 1200

35cm long handle bar
 Φ 30 mm hard- chrome plated double rails
 12cm super linear bearings inside
 Double-layer aluminum profile base: W18cm x H3.2mm
 High quality EVA pad Logo printed
 4pcs extension bars
 magnetic breaker, breaking force 900kgs
 45cm adjustable ruler

Technical Data

					
ZX-1200	1200mm	845mm	4~16mm	1 Pc	20 Pc



ZX-1200 PRO

Tile Cutter 1200 PRO

35cm long handle bar
 Φ 30 mm hard- chrome plated double rails
 60cm strong extension bar
 12cm super linear bearings inside
 Double-layer aluminum profile base: W18cm x H3.2mm
 High quality EVA pad Logo printed
 magnetic breaker, breaking force 900kgs
 Big 80cm adjustable ruler

Technical Data

					
ZX-1200 PRO	1200mm	845mm	4~16mm	1 Pc	20 Pc




8100C

Tile Cutter 630

- Tile Cutter 630mm With Plastic case
- Metal base and aluminium support parts
- Aluminium die-casting assembly for tough cutting action
- Dia of solid chromed rod:17mm
- Width of metal base:320mm
- Thickness of the base:1.5mm
- Simple and convenient replacement of the cutting blade, size: φ8,φ10

Technical Data

				
8100C	630 mm	445×45 mm	4-12mm	800 Kgs





ABS Plastic Glass Suction Lifter

ABS plastic handle
Light, strong and durable
Wear resistant rubber base



Technical Data

Barcode	Key	Dimensions	Weight	Volume	Box	Box
1124900011122	AH49002-1	118mm	40kg	30kg	1 Pc	10 Pc

Aluminium alloy Glass Suction Lifter

Aluminium alloy handle
Light, strong and durable
Wear resistant rubber base



Technical Data

Barcode	Key	Dimensions	Weight	Volume	Box	Box
1124900011222	AH49001-1	122mm	80kg	60kg	1 Pc	10 Pc

Glass Suction Lifter Double

Aluminium alloy handle
Light, strong and durable
Wear resistant rubber base



Technical Data

Barcode	Key	Dimensions	Weight	Volume	Box	Box
1124900012122	AH49001-2	122mm	130kg	100kg	1 Pc	10 Pc

Glass Suction Lifter Triple

Aluminium alloy handle
Light, strong and durable
Wear resistant rubber base



Technical Data

Barcode	Key	Dimensions	Weight	Volume	Box	Box
1124900013122	AH49001-3	122mm	180kg	160kg	1 Pc	10 Pc
1124900023128	AH49002-3	128mm	230kg	210kg	1 Pc	10 Pc

AH8128F

Air Pump-Vacuum Suction Cup

Durable nitrile rubber.
Diameter :210mm/8".
Load capacity : 150kg.
With pressure gauge for safe indication.
Suitable for smooth and rough tiles.




Technical Data

			
1460300000110	AH8128F	1 Pc	6 Pc

AH8122-6

Six Sided Multi-angle Ruler

Six sides
Multi angle
Aluminium Body





AH8119-9L

Tile Height Adjuster

Material : Steel.
Adjustment Range :1- 10cm.
Load-Bearing : 100 KG.
Freely Adjustable, Easy to Operate.



AH8193

Knee Pad

- DURABLE HARD CAP: puncture-proof & anti-slip & resistant heat thermal & moisture -proof;
- FOAM+GEL+FABRIC: cushioning & decompression;
- TWO ADJUSTABLE TAPES: comfortable to wear and flexible activity.



Technical Data

		
AH8193	320×180 mm	1 Pc

Tile Scoring Wheel


Technical Data

		
8117-8MM	8mm	
8217-8MM	8mm	
8117-10MM	10mm	
8217-10MM	10mm	
8217-22MM	22mm	

✓ ✓ ✓ ✓ ✓ ✓ Ideal use Second use Alternative use	 8mm 5/16"	 10mm 3/8"	 22mm 7/8"
RUSTIC TILES	✓ ✓ □	✓ ✓ □	✓ ✓ ✓
PORCELAIN	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓
FLOOR TILES	✓ ✓ □	✓ ✓ ✓	✓ ✓ ✓
WALL TILES	✓ ✓ □	✓ ✓ ✓	✓ ✓ ✓
GLASS TILES	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓



Tile Spacer




Technical Data

Barcode	Key	Size	Box	Bag
1460181191002	AH8119-1	1mm	200 Pc	100 Bags
1460181191502	AH8119-1.5	1.5mm	200 Pc	100 Bags
1460181192002	AH8119-2	2mm	200 Pc	100 Bags
1460181192502	AH8119-2.5	2.5mm	200 Pc	100 Bags
1460181193002	AH8119-3	3mm	200 Pc	100 Bags

Tile level Wedges

High quality PP material
Reusable
To be used with leveling base and leveling plier




Technical Data

Barcode	Key	Box	Bag
1460281201001	AH8120-2P30	100 Pc	20 Bags

Tile level Base

High quality PP material
To be used with leveling wedges and leveling plier



Technical Data

Barcode	Key	Size	Box	Bag
1460281211001	AH8120-2P1.0	1mm	100 Pc	40 Bags
1460281211501	AH8120-2P1.5	1.5mm	100 Pc	40 Bags
1460281212001	AH8120-2P2.0	2mm	100 Pc	40 Bags
1460281213001	AH8120-2P3.0	3mm	100 Pc	40 Bags

Tile level Pliers

Constructed using sturdy steel with adjustable tension
Improves tiles laying productivity



Technical Data

Barcode	Key	Box
1460281220000	AH8120-8	20

AH82031-10

GROUTING FLOAT RUBBER

Size: 240×100×19mm
3 layer: aluminum/EVA
15mm/rubber 3mm

Technical Data

			
1460290500010	240×100×19mm	6 Pc	24 Pc



AH8132-2B

Carbide Grout Saw

Soft grip handle
2pcs carbide grit-edged blade
Suitable for Removing old & discolored grout
carbide steel grit-edged blade

Technical Data

			
1460290600022	-mm	12 Pc	120 Pc



AH8139-AB

Silicone Sealant Finishing Tool SET

Multi-Function Caulking Finishing tool Silicon Pad
5 Replaceable Silicone Pads (3R, 6R, 10R, 13R, 17R)

Technical Data

			
1460290600025	-mm	1 Pc	100 Pc



DW05369-V4 1150W Angle Grinder 5"

With a well designed grip
Lock on slide switch
Two position side handle
Compact Design and light weight for improved mobility
Better, more comfortable grip via the long handle
Variable speed

Technical Data

Voltage	220-240V 50~60 Hz
Power Input	1150 W
No-load Speed	3500-11000 rpm
Disc Diameter	125 mm
Weight	2.5 Kg



AH71203-12 12V Cordless Ceramic Vibrator

Adsorption lock design
Stepless vibration control
Strong adsorption & for multi-size tiles
Water level for accuracy
LED Working Light

Technical Data

Voltage	12 V
Battery Capacity	1.5 Ah
Vibration Frequency	3000-8500 rpm
Tile Size	30-150 cm
Suction Capacity	60 Kg
Charging Time	2.0 H



AH71203-20 20V Cordless Ceramic Vibrator

Adsorption lock design
Stepless vibration control
Strong adsorption & for multi-size tiles
Water level for accuracy
LED Working Light

Technical Data

Voltage	20 V
Battery Capacity	2.0 Ah
Vibration Frequency	3000-8500 rpm
Vibration Switch	12 Speeds
Tile Size	30-200 cm
Suction Capacity	100 Kg
Charging Time	2.0-3.0 H



DW09530

1400W Electric Mixer

Soft start
Variable speed
Safety on/off switch with lock-on button for continuous operation
Ergonomically designed handle
Robust gearbox with powerful high torque motor

Technical Data

Voltage	230V 50 Hz
Power Input	1400 W
No-load Speed	0-800 rpm
Paddle connection thread	M14 x 2
Max. mixing paddle size	120mm
Weight	13.5 Kg



DW09535

1400W Electric Mixer

Soft start
Variable speed
Safety on/off switch with lock-on button for continuous operation
Ergonomically designed handle
Robust gearbox with powerful high torque motor

Technical Data

Voltage	230V 50 Hz
Power Input	1400 W
No-load Speed	0-480/0-800 rpm
Paddle connection thread	M14 x 2
Max. mixing paddle size	140mm
Weight	16.0 Kg



DW09540

1600W Electric Mixer

Soft start
2-speed power mixer with double mixing paddles
High performance with 2 paddles working clockwise and anti-clockwise respectively
Robust gearbox with powerful high torque motor

Technical Data

Voltage	230V 50 Hz
Power Input	1600 W
No-load Speed	200-480/250-680 rpm
Paddle connection thread	M14
Max. mixing paddle size	120mm
Weight	18.5 Kg



DW-P3011260

Mixer Paddle Blade 3 Flat Swirl

Technical Data

	SPECIFICATION	DIAMETER	TOTAL LENGTH
DW-P3011260	Shank-M14	120 mm	600 mm



DW-P401

Mixer Paddle Blade 2 Flat Swirl

Technical Data

	SPECIFICATION	DIAMETER	TOTAL LENGTH
DW-P4010635	SDS-Plus	60 mm	350 mm
DW-P4010840	SDS-Plus	80 mm	400 mm
DW-P4011050	SDS-Plus	100 mm	500 mm
DW-P4011260	SDS-Plus	120 mm	600 mm



DW-P4021060

Mixer Paddle Blade 2 Round Swirl

Technical Data

	SPECIFICATION	DIAMETER	TOTAL LENGTH
DW-P4021060	SDS-Plus	100 mm	600 mm



DW-P4031050**Mixer Paddle Blade 2 Half Circle****Technical Data**

	SPECIFICATION	DIAMETER	TOTAL LENGTH
DW-P4031050	SDS-Plus	100 mm	500 mm

**TK842****Mixer Paddle Blade 2×3 Flat****Technical Data**

	SPECIFICATION	DIAMETER	TOTAL LENGTH
TK842	Shank-M14	120 mm	600 mm

**TK822****Mixer Paddle Blade 2×4 Flat****Technical Data**

	SPECIFICATION	DIAMETER	TOTAL LENGTH
TK822	SDS-Plus	120 mm	600 mm





Vacuum Brazed Core Bit

Self cooling
Self sharpening
Fast and clean cuts
Vacuum brazed
M14 thread for use on a regular grinder



Technical Data

Item Number		
960208930006	DW208930-06	6×75
960208930008	DW208930-08	8×75
960208930010	DW208930-10	10×75
960208930012	DW208930-12	12×75
960208930015	DW208930-15	15×75
960208930018	DW208930-18	18×75
960208930020	DW208930-20	20×75
960208930022	DW208930-22	22×75
960208930025	DW208930-25	25×75
960208930030	DW208930-30	30×75
960208930035	DW208930-35	35×75
960208930040	DW208930-40	40×75
960208930050	DW208930-50	50×75
960208930060	DW208930-60	60×75



DRY OR
WET USE



FAST, PRECISE
CLEAN HOLES



VACUUM
BRAZED
TECHNOLOGY



PERMANENT
DIAMOND
COATING

Diamond Saw Blade Turbo

It is specially designed for clean, chip-free cutting of various kind of marble tiles, ceramic tiles and porcelain in the construction



Technical Data

Item Number			Segment Thickness mm	Segment Height mm
960200324115	DW200324-4.5	115	2.4	10
960200324125	DW200324-5	125	2.4	10
960200324180	DW200324-7	180	2.6	10
960200324230	DW200324-9	230	2.6	10

Diamond Saw Blade Turbo-X

It is specially designed for clean, chip-free cutting of various kind of marble tiles, ceramic tiles and porcelain in the construction



Technical Data

Item Number			Segment Thickness mm	Segment Height mm
960200224100	DW200224-4	100	1.2	8
960200224115	DW200224-4.5	115	1.2	8
960200224125	DW200224-5	120	1.4	8



Diamond Saw Blade T Turbo

It is specially designed for clean, chip-free cutting of various kind of marble tiles, ceramic tiles and porcelain in the construction



Technical Data

Item Number			Segment Thickness mm	Segment Height mm
960200554180	DW200554-7	180	2.8	10

Diamond Saw Blade Closed Rim (For Ceramics)

It is specially designed for clean, chip-free cutting of various kind of marble tiles, ceramic tiles and porcelain in the construction



Technical Data

Item Number			Segment Thickness mm	Segment Height mm
960200361115	DW200361-4.5	115	2.4	10
960200224115	960200361125	125	2.4	10

General Purpose Vacuum Brazed Diamond Blade

More suitable for cutting all kinds of metal pipes, thin-walled stainless steel, threaded steel, angle steel, aluminum and other metals, HDPE and PVC plastic pipes, metal roof panels, metal plates and other metal materials, as well as ceramics, marble, various



Technical Data

Item Number			Segment Thickness mm	Segment Length mm
960202310115	DW202310-4.5	115	1.2	32
960202310125	DW202310-5	125	1.2	32
960202310180	DW202310-7	180	1.8	32
960202310230	DW202310-9	230	1.8	38/40

Diamond Cup wheel one row

It is designed for grinding the surface of various stones such as granite, marble, engineered stone, etc along with best performance.



Technical Data

Item Number			Segment Thickness mm	Segment Width mm
960206110010	DW6110010	115	5	8
960206110110	DW6110110	125	5	8



Diamond Cup wheel Two rows

It is designed for grinding the surface of various stones such as granite, marble, engineered stone, etc along with best performance.



Technical Data

Item Number			Segment Thickness mm	Segment Width mm
960206110020	DW6110020	115	5	8
960206110120	DW6110120	125	5	8

Diamond Cup wheel Turbo

It is designed for grinding the surface of various stones such as granite, marble, engineered stone, etc along with best performance.



Technical Data

Item Number			Segment Thickness mm	Segment Width mm
960206110030	DW6110030	115	5	8
960206110130	DW6110130	125	5	8

Black Rubber hammer

- The hammer head is made of high quality eco-friendly rubber
- After professional heat treatment, the heat treatment depth of the head is considerable
- The rubber sleeve adopts high quality TPR, which has the advantages of non-toxic, anti-skid and corrosion resistance

Technical Data

Barcode	Key	g	Box	Carton	Weight
6221257000054	AH542004-08	8OZ	6	60	350 g
6221257000061	AH542004-16	16OZ	6	36	570 g



White Rubber hammer

- The hammer head is made of high quality eco-friendly rubber
- After professional heat treatment, the heat treatment depth of the head is considerable
- The rubber sleeve adopts high quality TPR, which has the advantages of non-toxic, anti-skid and corrosion resistance

Technical Data

Barcode	Key	g	Box	Carton	Weight
6221257000078	AH542104-08	8OZ	6	60	350 g
6221257000085	AH542104-16	16OZ	6	36	570 g



Black Rubber hammer

- The hammer head is made of high quality eco-friendly rubber
- The wooden handle is treated by special processes such as high temperature, and has the characteristics of hard texture, good toughness, mildew resistance, toughness and wear resistance

Technical Data

Barcode	Key	g	Box	Carton	Weight
6221257000016	AH522004-08	8OZ	6	60	300 g
6221257000023	AH522004-16	16OZ	6	36	485 g



White Rubber hammer

- The hammer head is made of high quality eco-friendly rubber
- The wooden handle is treated by special processes such as high temperature, and has the characteristics of hard texture, good toughness, mildew resistance, toughness and wear resistance

Technical Data

Barcode	Key	g	Box	Carton	Weight
6221257000030	AH522104-08	8OZ	6	60	300 g
6221257000047	AH522104-16	16OZ	6	36	485 g



MEASURING TAPE

- Double-sided scale printing
- Using single color molding process, hard plastic
- With double button braking, anti-skid texture

Technical Data

			Pcs/Ctn	Gw/Ctn	Cbm/Ctn
1051211100316	CR-3K57W	3m×16mm	120	16.00	0.03
1051211100519	CR-5K57E	5m×19mm	120	26.00	0.05
1051211100525	CR-5K57X	5m×25mm	72	22.00	0.03



Self Lock



Double printing



Double Lock



Matt Coating



ACCURACY



Reinforced Hook

MEASURING TAPE

- Double-sided scale printing
- Using double color injection molding process, hard plastic and soft plastic wrap
- With double button braking, anti-skid texture

Technical Data

			Pcs/Ctn	Gw/Ctn	Cbm/Ctn
1051223120316	CR-3K58W	3m×16mm	120	16.00	0.03
1051223120519	CR-5K58E	5m×19mm	120	26.00	0.05
1051223120525	CR-5K58X	5m×25mm	72	22.00	0.03



Self Lock



Double printing



Double Lock



Nylon Coating



ACCURACY



Reinforced Hook

Caulking Gun



- Aluminum Handle and Steel Trigger 7:1 Thrust Ratio 310ml
- Aluminum Handle and Trigger 9" 7:1 Thrust Ratio 310ml

Technical Data

		
XY-501-9	230 mm	1 Pc
XY-501-15	380 mm	1 Pc



Check Our Range



APT

The Name You Can Trust



APT



Contact Us



Info@apt-international.com

